

M. GREEN COMPANY

PRODUCT CATALOG T-2

- A** SOLDERLESS TERMINALS
- B** SPLICES
- C** QUICK DISCONNECTS
- D** WIRE MANAGEMENT
- E** ASSORTMENT KITS
- F** CRIMP TOOLS

Packaging Options



Clamshell Packaging

This is our standard package for smaller quantities. They can be hung on hooks for display at point of sale.



Zip Lock Resealable Bags

This is our standard package for larger quantities. They can be hung on hooks for display at point of sale.



Plastic Jars

A more durable premium packaging option. The plastic jars make an excellent choice for customers interested in private labeling, and work with the gravity feed shelves on our point of sale displays.

A



SOLDERLESS TERMINALS

A full range of solderless terminal styles and sizes are available. Products are available pre-insulated and color coded for easy size identification. A wide variety of insulating materials are available, and product comes in several different package quantities and options.

Block Spade Terminal

- Non-Insulated 19
- Nylon Insulated 19
- Vinyl Insulated 18

Bullet Plug

- Non-Insulated 20
- Nylon Insulated 21
- Vinyl Insulated 20

Bullet Receptacle

- 2-Way (Nylon Insulated) 22
- Non-Insulated 21
- Nylon Insulated 22
- Vinyl Insulated 21

Flanged Spade Terminal

- Non-Insulated 17
- Nylon Insulated with Insulation Support Sleeve 18
- Vinyl Insulated 17

Hook Terminal

- Vinyl Insulated 20

Pin Terminal

- Vinyl Insulated 22

Ring Terminal

- High Temperature 13
- Non-Insulated 11
- Nylon Insulated 12
- Vinyl Insulated 10

Spade Terminal

- High Temperature 15
- Non-Insulated 14
- Nylon Insulated 14
- Vinyl Insulated 13

Spring Spade Terminal

- Non-Insulated 16
- Nylon Insulated 16
- Vinyl Insulated 15

ABOUT US...

M. Green Company has been offering our extensive line of terminals and related products to distributors since 1978. We also offer a complete line of fasteners and anchors, as well as various other hardware products. Please ask your sales rep for information about the many other products that we offer that are not listed in this catalog.

B



SPLICES

A full range of styles and sizes are available. Products are available pre-insulated and color coded for easy size identification. A wide variety of insulating materials are available, and product comes in several different package quantities and options.

Butt Connector

- High Temperature
- Non-Insulated
- Nylon Insulated
- Polyolefin Heat Shrink
- Vinyl Insulated

24
23
24
23
23

Tap Connector

- Vinyl Insulated

24

ABOUT US...

At M. Green Company, our goal is to provide our customers with the highest level of quality and service in the industry. This includes:

- most of our terminal products are manufactured in the USA
- most products are UL certified – please inquire within if you need UL certification information on any specific product(s)
- no minimum order

C



QUICK DISCONNECTS

A full range of Quick Disconnect styles and sizes as well as related adapters are available. Products are available pre-insulated and color coded for easy size identification. A wide variety of insulating materials are available and product comes in several different package quantities and options.

Adapters

- 2 Male / 1 Female Adapter 31
- 3-Way Adapter 31
- Chair Adapter 31

Female Quick Disconnect

- Fully Insulated – Nylon Insulation 28
- High Temperature 29
- Non-Insulated 27
- Nylon Insulated 28
- Vinyl Insulated 27

Flag Female Quick Disconnect

- Fully Insulated – Nylon Insulation 29
- High Temperature 30
- Non-Insulated 29

Male Quick Disconnect

- Fully Insulated – Nylon Insulation 26
- High Temperature 26
- Non-Insulated 25
- Vinyl Insulated 25

Piggyback Connector

- Non-Insulated 30
- Nylon Insulated 31
- Vinyl Insulated 30

- an extensive product line coupled with special ordering of products that we don't stock enables us to be your one-stop-shop for all of your terminal requirements. If you don't see it in our catalog, we encourage you to ask!!!
- prompt and accurate shipping of all of our customer's orders
- several different packaging options for you to choose from, all with easy to read, user-friendly labels
- drop shipments can be shipped directly to your customer, with the M. Green Company name not appearing on any of the paperwork or on the shipping cartons

D



WIRE MANAGEMENT

A full range of products are available in many different sizes and styles for all of your wire management needs.

Products are color coded to differentiate the different wire combinations that they can be used with.

Cable Ties

- Nylon

34

Closed End Connector

- Fully Insulated – Nylon Insulation

32

Heat Shrink Tubing

- Thin Wall Polyolefin

34

Wire Connector

- Ceramic
- Standard
- Winged

33

32

33

ABOUT US...

- no hassle returns and no restocking charge on any of our standard items if returned within 60 days of purchase (see details below)
- private labeling is available to any of our volume customers who are interested
- low prepaid freight
- some of the most competitive pricing in the industry

E



ASSORTMENT KITS

A wide variety of assortment kits are available that contain a wide variety of terminal sizes and styles.

Assortment Kits

• 65 piece Assortment for 12-10 Wire Range	36
• 80 piece Assortment for 16-14 Wire Range	37
• 90 piece Insulated Assortment	36
• 96 piece Insulated Assortment w/Tool	35
• 192 piece Non-Insulated Assortment	35

- our products are of the highest quality and meet applicable industry standards
- close monitoring of our inventory to achieve one of the highest fill rates in the industry
- UPC labels on all of our products

F



CRIMP TOOLS

A wide variety of crimp tool options are available in a wide variety of price ranges.

A good crimp tool solution can be found for all of our terminal products.

Crimp Tools

- Crimp Tool for Terminals 38
- Economy Crimp Tool for Terminals 38
- Ratchet Controlled Tool for Closed End Connectors 38
- Ratchet Controlled Tool for Female Quick Disconnects 38
- Ratchet Controlled Tool for Insulated Terminals 38
- Ratchet Controlled Tool for Non-Insulated Terminals 38
- Ratchet Controlled Tool for Terminals 38

ABOUT US...

In addition to the above, we are always looking for new ways to further improve our service to our customers so that we can continue to be the easiest company in the industry to do business with.

If there is ever anything that we can do for you, please do not hesitate to ask, as your satisfaction is the reason that we come to work every day.

TERMS AND CONDITIONS

Prices:

Prices are subject to change without notice. We reserve the right to bill at the time of shipment.

Terms:

Payment Terms are granted upon approved credit application. Past due accounts are at risk of being placed on credit hold.

Freight Policy:

Call to find out the prepaid shipping minimum in your area. Customer pickups are always welcome.

Returns:

Catalog items – All returns should be requested within 60 days of receipt of material, and require a RGA number. Customer is still responsible for any outbound shipping charges that may have been incurred. Please send all returns back to us prepaid. For claims, in the case that the returned item is deemed faulty or of poor quality after inspection, we will reimburse you for the shipping costs you've incurred for the return, and issue you a credit or send you a replacement for the item in question.

Special Orders – Please note that any special order items (special order items are any items that are not shown in this catalog) are non-cancellable and non-returnable.


Warranty and Claims:

The guarantee on materials sold by M. Green Company is the same as the warranty of the manufacturer. Claims for any shortages or errors must be made within 10 days of receipt of material. All items claimed defective must be inspected by M.Green Company (see the return procedure shown elsewhere).

Limitations of Liability:

All goods returned to and accepted by M. Green Company as defective or incorrect, shall be replaced or credited in full. No claim made hereunder by the Purchaser, whether as to goods delivered or for non-delivery, shall be greater than the purchase price of the goods in respect of which such claim is made.

M. GREEN COMPANY MAKES NO WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, AND NO OTHER WARRANTY, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, EXCEPT AS SPECIFICALLY SET FORTH HEREIN.



Ring Terminal

Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	RT22S6S	60151	50	RT22S6L	60178	100	RT22S6	60198
22-18	#8	25	RT22S8S	60152	50	RT22S8L	60179	100	RT22S8	60199
22-18	#10	25	RT22S10S	60153	50	RT22S10L	60180	100	RT22S10	60200
22-18	1/4	25	RT22S14S	60154	50	RT22S14L	60181	100	RT22S14	60201
22-18	5/16	25	RT22S516S	60155	50	RT22S516L	60182	100	RT22S516	60202
22-18	3/8	25	RT22S38S	60156	50	RT22S38L	60183	100	RT22S38	60203
16-14	#6	25	RT16S6S	60157	50	RT16S6L	60184	100	RT16S6	60204
16-14	#8	25	RT22S8S	60158	50	RT16S8L	60185	100	RT16S8	60205
16-14	#10	25	RT22S10S	60159	50	RT16S10L	60186	100	RT16S10	60206
16-14	1/4	25	RT16S14S	60160	50	RT16S14L	60187	100	RT16S14	60207
16-14	5/16	25	RT16S516S	60161	50	RT16S516L	60188	100	RT16S516	60208
16-14	3/8	25	RT16S38S	60162	50	RT16S38L	60189	100	RT16S38	60209
16-14	1/2	25	RT16S12S	60163	50	RT16S12L	60190	100	RT16S12	60210
12-10	#6	25	RT12S6S	60164	50	RT12S6L	60191	100	RT12S6	60211
12-10	#8	25	RT12S8S	60165	50	RT12S8L	60192	100	RT12S8	60212
12-10	#10	25	RT12S10S	60166	50	RT12S10L	60193	100	RT12S10	60213
12-10	1/4	25	RT12S14S	60167	50	RT12S14L	60194	100	RT12S14	60214
12-10	5/16	25	RT12S516S	60168	50	RT12S516L	60195	100	RT12S516	60215
12-10	3/8	25	RT12S38S	60169	50	RT12S38L	60196	100	RT12S38	60216
12-10	1/2	25	RT12S12S	60170	50	RT12S12L	60197	100	RT12S12	60217
8	#10	10	RT8S10S	60171	50					
8	1/4	10	RT8S14S	60172	50					
8	5/16	10	RT8S516S	60173	50					
8	3/8	10	RT8S38S	60174	50					
8	1/2	10	RT8S12S	60175	50					
6	1/4	10	RT6S14S	60176	50					
6	5/16	10	RT6S516S	60177	50					

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Ring Terminal

Non-Insulated

600V / 175°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	RT22S6NIS	60250	50	RT22S6NIL	60287	100	RT22S6NI	60307
22-18	#8	25	RT22S8NIS	60251	50	RT22S8NIL	60288	100	RT22S8NI	60308
22-18	#10	25	RT22S10NIS	60252	50	RT22S10NIL	60289	100	RT22S10NI	60309
22-18	1/4	25	RT22S14NIS	60253	50	RT22S14NIL	60290	100	RT22S14NI	60310
22-18	5/16	25	RT22S516NIS	60254	50	RT22S516NIL	60291	100	RT22S516NI	60311
22-18	3/8	25	RT22S38NIS	60255	50	RT22S38NIL	60292	100	RT22S38NI	60312
16-14	#6	25	RT16S6NIS	60256	50	RT16S6NIL	60293	100	RT16S6NI	60313
16-14	#8	25	RT22S8NIS	60257	50	RT16S8NIL	60294	100	RT16S8NI	60314
16-14	#10	25	RT22S10NIS	60258	50	RT16S10NIL	60295	100	RT16S10NI	60315
16-14	1/4	25	RT16S14NIS	60259	50	RT16S14NIL	60296	100	RT16S14NI	60316
16-14	5/16	25	RT16S516NIS	60260	50	RT16S516NIL	60297	100	RT16S516NI	60317
16-14	3/8	25	RT16S38NIS	60261	50	RT16S38NIL	60298	100	RT16S38NI	60318
16-14	1/2	25	RT16S12NIS	60262	50	RT16S12NIL	60299	100	RT16S12NI	60319
12-10	#6	25	RT12S6NIS	60263	50	RT12S6NIL	60300	100	RT12S6NI	60320
12-10	#8	25	RT12S8NIS	60264	50	RT12S8NIL	60301	100	RT12S8NI	60321
12-10	#10	25	RT12S10NIS	60265	50	RT12S10NIL	60302	100	RT12S10NI	60322
12-10	1/4	25	RT12S14NIS	60266	50	RT12S14NIL	60303	100	RT12S14NI	60323
12-10	5/16	25	RT12S516NIS	60267	50	RT12S516NIL	60304	100	RT12S516NI	60324
12-10	3/8	25	RT12S38NIS	60268	50	RT12S38NIL	60305	100	RT12S38NI	60325
12-10	1/2	25	RT12S12NIS	60269	50	RT12S12NIL	60306	100	RT12S12NI	60326
8	#10	10	RT8S10NIS	60270						
8	1/4	10	RT8S14NIS	60271						
8	5/16	10	RT8S516NIS	60272						
8	3/8	10	RT8S38NIS	60273						
6	#10	10	RT6S10NIS	60274						
6	1/4	10	RT6S14NIS	60275						
6	5/16	10	RT6S516NIS	60276						
6	3/8	10	RT6S38NIS	60277						
6	1/2	10	RT6S12NIS	60278						
4	1/4	10	RT4S14NIS	60279						
4	5/16	10	RT4S516NIS	60280						
4	3/8	10	RT4S38NIS	60281						
4	1/2	10	RT4S12NIS	60282						
2	1/4	10	RT2S14NIS	60283						
2	5/16	10	RT2S516NIS	60284						
2	3/8	10	RT2S38NIS	60285						
2	1/2	10	RT2S12NIS	60286						

Other Sizes And Package Quantities Available

Please Call For Price And Availability

Phone: (800) 472-1820 / (215) 324-0233
 Fax: (215) 324-0235
 E-mail: sales@mgreenco.com





Ring Terminal

Nylon Insulation

600V / 105°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#4	25	RT22S4NS	60026	50	RT22S4NL	60063	100	RT22S4N	60084
22-18	#6	25	RT22S6NS	60027	50	RT22S6NL	60064	100	RT22S6N	60085
22-18	#8	25	RT22S8NS	60028	50	RT22S8NL	60065	100	RT22S8N	60086
22-18	#10	25	RT22S10NS	60029	50	RT22S10NL	60066	100	RT22S10N	60087
22-18	1/4	25	RT22S14NS	60030	50	RT22S14NL	60067	100	RT22S14N	60088
22-18	5/16	25	RT22S516NS	60031	50	RT22S516NL	60068	100	RT22S516N	60089
22-18	3/8	25	RT22S38NS	60032	50	RT22S38NL	60069	100	RT22S38N	60090
16-14	#6	25	RT16S6NS	60033	50	RT16S6NL	60070	10	RT16S6N	60091
16-14	#8	25	RT16S8NS	60034	50	RT16S8NL	60071	100	RT16S8N	60092
16-14	#10	25	RT16S10NS	60035	50	RT16S10NL	60072	100	RT16S10N	60093
16-14	1/4	25	RT16S14NS	60036	50	RT16S14NL	60073	100	RT16S14N	60094
16-14	5/16	25	RT16S516NS	60037	50	RT16S516NL	60074	100	RT16S516N	60095
16-14	3/8	25	RT16S38NS	60038	50	RT16S38NL	60075	100	RT16S38N	60096
16-14	1/2	25	RT16S12NS	60039	50	RT16S12NL	60076	100	RT16S12N	60097
12-10	#6	25	RT12S6NS	60040	50	RT12S6NL	60077	100	RT12S6N	60098
12-10	#8	25	RT12S8NS	60041	50	RT12S8NL	60078	100	RT12S8N	60099
12-10	#10	25	RT12S10NS	60042	50	RT12S10NL	60079	100	RT12S10N	60100
12-10	1/4	25	RT12S14NS	60043	50	RT12S14NL	60080	100	RT12S14N	60101
12-10	5/16	25	RT12S516NS	60044	50	RT12S516NL	60081	100	RT12S516N	60102
12-10	3/8	25	RT12S38NS	60045	50	RT12S38NL	60082	100	RT12S38N	60103
12-10	1/2	25	RT12S12NS	60046	50	RT12S12NL	60083	100	RT12S12N	60104
8	#10	10	RT8S10NS	60047						
8	1/4	10	RT8S14NS	60048						
8	5/16	10	RT8S516NS	60049						
8	3/8	10	RT8S38NS	60050						
6	1/4	10	RT6S14NS	60051						
6	5/16	10	RT6S516NS	60052						
6	3/8	10	RT6S38NS	60053						
6	1/2	10	RT6S12NS	60054						
4	1/4	10	RT4S14NS	60055						
4	5/16	10	RT4S516NS	60056						
4	3/8	10	RT4S38NS	60057						
4	1/2	10	RT4S12NS	60058						
2	1/4	10	RT2S14NS	60059						
2	5/16	10	RT2S516NS	60060						
2	3/8	10	RT2S38NS	60061						
2	1/2	10	RT2S12NS	60062						

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Phone: (800) 472-1820 / (215) 324-0233
 Fax: (215) 324-0235
 E-mail: sales@mgreenco.com



Ring Terminal


High Temperature

600V / 900°F (482°C)

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	RT22S6HTS	60375	50	RT22S6HTL	60386	100	RT22S6HT	60396
22-18	#8	25	RT22S8HTS	60376	50	RT22S8HTL	60387	100	RT22S8HT	60397
22-18	#10	25	RT22S10HTS	60377	50	RT22S10HTL	60388	100	RT22S10HT	60398
16-14	#6	25	RT16S6HTS	60378	50	RT16S6HTL	60389	100	RT16S6HT	60399
16-14	#8	25	RT16S8HTS	60379	50	RT16S8HTL	60390	100	RT16S8HT	60400
16-14	#10	25	RT16S10HTS	60380	50	RT16S10HTL	60391	100	RT16S10HT	60401
16-14	1/4	25	RT16S14HTS	60381	50	RT16S14HTL	60392	100	RT16S14HT	60402
12-10	#8	25	RT12S8HTS	60382	50	RT12S8HTL	60393	100	RT12S8HT	60403
12-10	#10	25	RT12S10HTS	60383	50	RT12S10HTL	60394	100	RT12S10HT	60404
12-10	1/4	25	RT12S14HTS	60384	50	RT12S14HTL	60395	100	RT12S14HT	60405
8	1/4	10	RT8S14HTS	60385						

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spade Terminal


Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#4	25	ST22S4S	60781	50	ST22S4L	60794	100	ST22S4	60807
22-18	#6	25	ST22S6S	60782	50	ST22S6L	60795	100	ST22S6	60808
22-18	#8	25	ST22S8S	60783	50	ST22S8L	60796	100	ST22S8	60809
22-18	#10	25	ST22S10S	60784	50	ST22S10L	60797	100	ST22S10	60810
22-18	1/4	25	ST22S14S	60785	50	ST22S14L	60798	100	ST22S14	60811
16-14	#6	25	ST16S6S	60786	50	ST16S6L	60799	100	ST16S6	60812
16-14	#8	25	ST16S8S	60787	50	ST16S8L	60800	100	ST16S8	60813
16-14	#10	25	ST16S10S	60788	50	ST16S10L	60801	100	ST16S10	60814
16-14	1/4	25	ST16S14S	60789	50	ST16S14L	60802	100	ST16S14	60815
12-10	#6	25	ST12S6S	60790	50	ST12S6L	60803	100	ST12S6	60816
12-10	#8	25	ST12S8S	60791	50	ST12S8L	60804	100	ST12S8	60817
12-10	#10	25	ST12S10S	60792	50	ST12S10L	60805	100	ST12S10	60818
12-10	1/4	25	ST12S14S	60793	50	ST12S14L	60806	100	ST12S14	60819

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spade Terminal


Non-Insulated

600V / 175°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#4	25	ST22S4NIS	60851	50	ST22S4NIL	60863	100	ST22S4NI	60875
22-18	#6	25	ST22S6NIS	60852	50	ST22S6NIL	60864	100	ST22S6NI	60876
22-18	#8	25	ST22S8NIS	60853	50	ST22S8NIL	60865	100	ST22S8NI	60877
22-18	#10	25	ST22S10NIS	60854	50	ST22S10NIL	60866	100	ST22S10NI	60878
16-14	#6	25	ST16S6NIS	60855	50	ST16S6NIL	60867	100	ST16S6NI	60879
16-14	#8	25	ST16S8NIS	60856	50	ST16S8NIL	60868	100	ST16S8NI	60880
16-14	#10	25	ST16S10NIS	60857	50	ST16S10NIL	60869	100	ST16S10NI	60881
12-10	#6	25	ST12S6NIS	60858	50	ST12S6NIL	60870	100	ST12S6NI	60882
12-10	#8	25	ST12S8NIS	60859	50	ST12S8NIL	60871	100	ST12S8NI	60883
12-10	#10	25	ST12S10NIS	60860	50	ST12S10NIL	60872	100	ST12S10NI	60884
12-10	1/4	25	ST12S14NIS	60861	50	ST12S14NIL	60873	100	ST12S14NI	60885
8	#10	10	ST8S10NIS	60862						

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spade Terminal

Nylon Insulation

600V / 105°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#4	25	ST22S4NS	60926	50	ST22S4NL	60939	100	ST22S4N	60952
22-18	#6	25	ST22S6NS	60927	50	ST22S6NL	60940	100	ST22S6N	60953
22-18	#8	25	ST22S8NS	60928	50	ST22S8NL	60941	100	ST22S8N	60954
22-18	#10	25	ST22S10NS	60929	50	ST22S10NL	60942	100	ST22S10N	60955
16-14	#6	25	ST16S6NS	60930	50	ST16S6NL	60943	100	ST16S6N	60956
16-14	#8	25	ST16S8NS	60931	50	ST16S8NL	60944	100	ST16S8N	60957
16-14	#10	25	ST16S10NS	60932	50	ST16S10NL	60945	100	ST16S10N	60958
16-14	1/4	25	ST16S14NS	60933	50	ST16S14NL	60946	100	ST16S14N	60959
12-10	#6	25	ST12S6NS	60934	50	ST12S6NL	60947	100	ST12S6N	60960
12-10	#8	25	ST12S8NS	60935	50	ST12S8NL	60948	100	ST12S8N	60961
12-10	#10	25	ST12S10NS	60936	50	ST12S10NL	60949	100	ST12S10N	60962
12-10	1/4	25	ST12S14NS	60937	50	ST12S14NL	60950	100	ST12S14N	60963
8	#10	10	ST8S10NS	60938						

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spade Terminal


High Temperature

600V / 900°F (482°C)

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#10	25	ST22S10HTS	61026	50	ST22S10HTL	61029	100	ST22S10HT	61032
16-14	#10	25	ST16S10HTS	61027	50	ST16S10HTL	61030	100	ST16S10HT	61033
12-10	#10	25	ST12S10HTS	61028	50	ST12S10HTL	61031	100	ST12S10HT	61034

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spring Spade Terminal


Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	SST22S6S	60000	50	SST22S6L	60009	100	SST22S6	60018
22-18	#8	25	SST22S8S	60001	50	SST22S8L	60010	100	SST22S8	60019
22-18	#10	25	SST22S10S	60002	50	SST22S10L	60011	100	SST22S10	60020
16-14	#6	25	SST16S6S	60003	50	SST16S6L	60012	100	SST16S6	60021
16-14	#8	25	SST16S8S	60004	50	SST16S8L	60013	100	SST16S8	60022
16-14	#10	25	SST16S10S	60005	50	SST16S10L	60014	100	SST16S10	60023
12-10	#6	25	SST12S6S	60006	50	SST12S6L	60015	100	SST12S6	60024
12-10	#8	25	SST12S8S	60007	50	SST12S8L	60016	100	SST12S8	60025
12-10	#10	25	SST12S10S	60008	50	SST12S10L	60017	100	SST12S10	60026

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spring Spade Terminal


Non-Insulated

600V / 175°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	SST22S6NIS	60425	50	SST22S6NIL	60434	100	SST22S6NI	60443
22-18	#8	25	SST22S8NIS	60426	50	SST22S8NIL	60435	100	SST22S8NI	60444
22-18	#10	25	SST22S10NIS	60427	50	SST22S10NIL	60436	100	SST22S10NI	60445
16-14	#6	25	SST16S6NIS	60428	50	SST16S6NIL	60437	100	SST16S6NI	60446
16-14	#8	25	SST16S8NIS	60429	50	SST16S8NIL	60438	100	SST16S8NI	60447
16-14	#10	25	SST16S10NIS	60430	50	SST16S10NIL	60439	100	SST16S10NI	60448
12-10	#6	25	SST12S6NIS	60431	50	SST12S6NIL	60440	100	SST12S6NI	60449
12-10	#8	25	SST12S8NIS	60432	50	SST12S8NIL	60441	100	SST12S8NI	60450
12-10	#10	25	SST12S10NIS	60433	50	SST12S10NIL	60442	100	SST12S10NI	60451

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Spring Spade Terminal


Nylon Insulation

600V / 105°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#8	25	SST22S8NS	60476	50	SST22S8NL	60482	100	SST22S8N	60488
16-14	#6	25	SST16S6NS	60477	50	SST16S6NL	60483	100	SST16S6N	60489
16-14	#8	25	SST16S8NS	60478	50	SST16S8NL	60484	100	SST16S8N	60490
16-14	#10	25	SST16S10NS	60479	50	SST16S10NL	60485	100	SST16S10N	60491
12-10	#8	25	SST12S8NS	60480	50	SST12S8NL	60486	100	SST12S8N	60492
12-10	#10	25	SST12S10NS	60481	50	SST12S10NL	60487	100	SST12S10N	60493

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flanged Spade Terminal

Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	FST22S6S	60526	50	FST22S6L	60533	100	FST22S6	60540
22-18	#8	25	FST22S8S	60527	50	FST22S8L	60534	100	FST22S8	60541
16-14	#6	25	FST16S6S	60528	50	FST16S6L	60535	100	FST16S6	60542
16-14	#8	25	FST16S8S	60529	50	FST16S8L	60536	100	FST16S8	60543
16-14	#10	25	FST16S10S	60530	50	FST16S10L	60537	100	FST16S10	60544
12-10	#8	25	FST12S8S	60531	50	FST12S8L	60538	100	FST12S8	60545
12-10	#10	25	FST12S10S	60532	50	FST12S10L	60539	100	FST12S10	60546

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flanged Spade Terminal


Non-Insulated

600V / 175°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#8	25	FST22S8NIS	60576	50	FST22S8NIL	60580	100	FST22S8NI	60584
22-18	#10	25	FST22S10NIS	60577	50	FST22S10NIL	60581	100	FST22S10NI	60585
16-14	#8	25	FST16S8NIS	60578	50	FST16S8NIL	60582	100	FST16S8NI	60586
16-14	#10	25	FST16S10NIS	60579	50	FST16S10NIL	60583	100	FST16S10NI	60587

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flanged Spade Terminal


w/Insulation Support Sleeve & Nylon Insulation

600V / 105°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	FST22S6NS	60626	50	FST22S6NL	60631	100	FST22S6N	60636
16-14	#6	25	FST16S6NS	60627	50	FST16S6NL	60632	100	FST16S6N	60637
16-14	#8	25	FST16S8NS	60628	50	FST16S8NL	60633	100	FST16S8N	60638
16-14	#10	25	FST16S10NS	60629	50	FST16S10NL	60634	100	FST16S10N	60639

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Block Spade Terminal


Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	BST22S6S	60651	50	BST22S6L	60657	100	BST22S6	60663
22-18	#8	25	BST22S8S	60652	50	BST22S8L	60658	100	BST22S8	60664
22-18	#10	25	BST22S10S	60653	50	BST22S10L	60659	100	BST22S10	60665
16-14	#6	25	BST16S6S	60654	50	BST16S6L	60660	100	BST16S6	60666
16-14	#8	25	BST16S8S	60655	50	BST16S8L	60661	100	BST16S8	60667
16-14	#10	25	BST16S10S	60656	50	BST16S10L	60662	100	BST16S10	60668

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Block Spade Terminal


Non-Insulated

600V / 175°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	BST22S6NIS	60701	50	BST22S6NIL	60706	100	BST22S6NI	60711
22-18	#8	25	BST22S8NIS	60702	50	BST22S8NIL	60707	100	BST22S8NI	60712
16-14	#6	25	BST16S6NIS	60703	50	BST16S6NIL	60708	100	BST16S6NI	60713
16-14	#8	25	BST16S8NIS	60704	50	BST16S8NIL	60709	100	BST16S8NI	60714
16-14	#10	25	BST16S10NIS	60705	50	BST16S10NIL	60710	100	BST16S10NI	60715

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Block Spade Terminal


Nylon Insulation

600V / 105°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#6	25	BST22S6NS	60741	50	BST22S6NL	60746	100	BST22S6N	60751
22-18	#10	25	BST22S10NS	60742	50	BST22S10NL	60747	100	BST22S10N	60752
16-14	#6	25	BST16S6NS	60743	50	BST16S6NL	60748	100	BST16S6N	60753
16-14	#8	25	BST16S8NS	60744	50	BST16S8NL	60749	100	BST16S8N	60754
16-14	#10	25	BST16S10NS	60745	50	BST16S10NL	60750	100	BST16S10N	60755

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Hook Terminal


Vinyl Insulation

600V / 75°C

Wire Range	Stud Size	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	#8	25	HT22S8S	61311	50	HT22S8L	61314	100	HT22S8	61317
16-14	#8	25	HT16S8S	61312	50	HT16S8L	61315	100	HT16S8	61318
12-10	#8	25	HT12S8S	61313	50	HT12S8L	61316	100	HT12S8	61319

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Plug

Vinyl Insulation

300V / 75°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BP22D157S	61191	50	BP22D157L	61193	100	BP22D157	61196
16-14	.157	25	BP16D157S	61192	50	BP16D157L	61194	100	BP16D157	61196

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Plug


Non-Insulated

300V / 105°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BP22D157NIS	61251	50	BP22D157NIL	61253	100	BP22D157NI	61255
16-14	.157	25	BP16D157NIS	61252	50	BP16D157NIL	61254	100	BP16D157NI	61256

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Plug


Nylon Insulated

300V / 105°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BP22D157NS	61271	50	BP22D157NL	61273	100	BP22D157N	61275
16-14	.157	25	BP16D157NS	61272	50	BP16D157NL	61274	100	BP16D157N	61276

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Receptacle


Vinyl Insulation

300V / 75°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BR22D157S	61211	50	BR22D157L	61213	100	BR22D157	61215
16-14	.157	25	BR16D157S	61212	50	BR16D157L	61214	100	BR16D157	61216

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Receptacle


Non-Insulated

300V / 105°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BR22D157NIS	61231	100	BR22D157NIL	61233	100	BR22D157NI	61235
16-14	.157	25	BR16D157NIS	61232	100	BR16D157NIL	61234	100	BR16D157NI	61236

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Bullet Receptacle


Nylon Insulated

300V / 105°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.157	25	BR22D157NS	61291	50	BR22D157NL	61293	100	BR22D157N	61295
16-14	.157	25	BR16D157NS	61292	50	BR16D157NL	61294	100	BR16D157N	61296

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Two-Way Bullet Receptacle


Nylon Insulated

300V / 105°C

Wire Range	Diameter	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
-	.157	25	TWBR157S	61297	50	TWBR157L	61298	100	TWBR157	61299

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Pin Terminal


Vinyl Insulation

600V / 75°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	PT22S	61360	50	PT22L	61363	100	PT22	61366
16-14	25	PT16S	61361	50	PT16L	61364	100	PT16	61367
12-10	25	PT12S	61362	50	PT12L	61365	100	PT12	61368

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Butt Connector

Vinyl Insulation

600V / 75°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	BC22S	61061	50	BC22L	61066	100	BC22	61069
16-14	25	BC16S	61062	50	BC16L	61067	100	BC16	61070
12-10	25	BC12S	61063	50	BC12L	61068	100	BC12	61071
8	10	BC8S	61064						
6	10	BC6S	61065						

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Butt Connector


Non-Insulated

600V / 105°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	BC22NIS	61141	50	BC22NIL	61145	100	BC22NI	61149
16-14	25	BC16NIS	61142	50	BC16NIL	61146	100	BC16NI	61150
12-10	25	BC12NIS	61143	50	BC12NIL	61147	100	BC12NI	61151

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Butt Connector


Heat Shrink – Polyolefin

600V / 105°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	BC22HSS	61091	50	BC22HSL	61094	100	BC22HS	61097
16-14	25	BC16HSS	61092	50	BC16HSL	61095	100	BC16HS	61098
12-10	25	BC12HSS	61093	50	BC12HSL	61096	100	BC12HS	61099

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Butt Connector

Nylon Insulated

600V / 105°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	BC22NS	61171	50	BC22NL	61174	100	BC22N	61177
16-14	25	BC16NS	61172	50	BC16NL	61175	100	BC16N	61178
12-10	25	BC12NS	61173	50	BC12NL	61176	100	BC12N	61179

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Butt Connector


High Temperature

600V / 900°F (482°C)

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	BC22HTS	61116	50	BC22HTL	61119	100	BC22HT	61122
16-14	25	BC16HTS	61117	50	BC16HTL	61120	100	BC16HT	61123
12-10	25	BC12HTS	61118	50	BC12HTL	61121	100	BC12HT	61124

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Tap Connector


Vinyl Insulation

600V / 75°C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	TC22S	61340	50	TC22L	61343	100	TC22	61346
18-14	25	TC18S	61341	50	TC18L	61344	100	TC18	61347
12-10	25	TC12S	61342	50	TC12L	61345	100	TC12	61348

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Male Quick Disconnect

Vinyl Insulation

300V / 75°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	MD22T250S	61480	50	MD22T250L	61484	100	MD22T250	61488
16-14	.250	25	MD16T250S	61481	50	MD16T250L	61485	100	MD16T250	61489
16-14	.187	25	MD16T187S	61482	50	MD16T187L	61486	100	MD16T187	61490
12-10	.250	25	MD12T250S	61483	50	MD12T250L	61487	100	MD12T250	61491

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Male Quick Disconnect


Non-Insulated

300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	MD22T250NIS	61511	50	MD22T250NIL	61515	100	MD22T250NI	61519
16-14	.250	25	MD16T250NIS	61512	50	MD16T250NIL	61516	100	MD16T250NI	61520
16-14	.187	25	MD16T187NIS	61513	50	MD16T187NIL	61517	100	MD16T187NI	61521
12-10	.250	25	MD12T250NIS	61514	50	MD12T250NIL	61518	100	MD12T250NI	61522

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Male Quick Disconnect

Fully Insulated – Nylon Insulation

300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
*22-18	.187	25	FIMDDC22T187SHS	61531	50	FIMDDC22T187SHL	61537	100	FIMDDC22T187SH	61543
22-18	.250	25	FIMD22T250S	61532	50	FIMD22T250L	61538	100	FIMD22T250	61544
*16-14	.187	25	FIMDDC16T187SHS	61533	50	FIMDDC16T187SHL	61539	100	FIMDDC16T187SH	61545
16-14	.250	25	FIMD16T250S	61534	50	FIMD16T250L	61540	100	FIMD16T250	61546
**16-14	.250	25	FIMD16T250SHS	61535	50	FIMD16T250SHL	61541	100	FIMD16T250SH	61547
12-10	.250	25	FIMD12T250S	61536	50	FIMD12T250L	61542	100	FIMD12T250	61548

*With insulation support sleeve and single hump design (mates with single hump fully insulated Female Quick Disconnect)

**Single hump design (mates with single hump fully insulated Female Quick Disconnect)

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Male Quick Disconnect


High Temperature

600V / 900°F (482°C)

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
16-14	.250	25	MD16T250HTS	61561	50	MD16T250HTL	61564	100	MD16T250HT	61567
12-10	.250	25	MD12T250HTS	61563	50	MD12T250HTL	61566	100	MD12T250HT	61569

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Female Quick Disconnect

Vinyl Insulation

300V / 75°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.110	25	FD22T110S	61580	50	FD22T110L	61587	100	FD22T110	61594
22-18	.187	25	FD22T187S	61581	50	FD22T187L	61588	100	FD22T187	61595
22-18	.250	25	FD22T250S	61582	50	FD22T250L	61589	100	FD22T250	61596
16-14	.110	25	FD16T110S	61583	50	FD16T110L	61590	100	FD16T110	61597
16-14	.187	25	FD16T187S	61584	50	FD16T187L	61591	100	FD16T187	61598
16-14	.250	25	FD16T250S	61585	50	FD16T250L	61592	100	FD16T250	61599
12-10	.250	25	FD12T250S	61586	50	FD12T250L	61593	100	FD12T250	61600

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Female Quick Disconnect


Non-Insulated

300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.110	25	FD22T110NIS	61620	50	FD22T110NIL	61627	100	FD22T110NI	61634
22-18	.187	25	FD22T187NIS	61621	50	FD22T187NIL	61628	100	FD22T187NI	61635
22-18	.250	25	FD22T250NIS	61622	50	FD22T250NIL	61629	100	FD22T250NI	61636
16-14	.110	25	FD16T110NIS	61623	50	FD16T110NIL	61630	100	FD16T110NI	61637
16-14	.187	25	FD16T187NIS	61624	50	FD16T187NIL	61631	100	FD16T187NI	61638
16-14	.250	25	FD16T250NIS	61625	50	FD16T250NIL	61632	100	FD16T250NI	61639
12-10	.250	25	FD12T250NIS	61626	50	FD12T250NIL	61633	100	FD12T250NI	61640

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Female Quick Disconnect

Nylon Insulation


300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
*22-18	.187	25	FDDC22T187NS	61660	50	FDDC22T187NL	61665	100	FDDC22T187N	61670
22-18	.250	25	FD22T250NS	61661	50	FD22T250NL	61666	100	FD22T250N	61671
16-14	.187	25	FD16T187NS	61662	50	FD16T187NL	61667	100	FD16T187N	61672
16-14	.250	25	FD16T250NS	61663	50	FD16T250NL	61668	100	FD16T250N	61673
12-10	.250	25	FD12T250NS	61664	50	FD12T250NL	61669	100	FD12T250N	61674

*With insulation support sleeve

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Female Quick Disconnect

Fully Insulated – Nylon Insulation


300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
*22-18	.187	25	FIFDDC22T187SHS	61710	50	FIFDDC22T187SHL	61717	100	FIFDDC22T187SH	61724
22-18	.250	25	FIFD22T250S	61711	50	FIFD22T250L	61718	100	FIFD22T250	61725
*16-14	.187	25	FIFDDC16T187SHS	61712	50	FIFDDC16T187SHL	61719	100	FIFDDC16T187SH	61726
16-14	.250	25	FIFD16T250S	61713	50	FIFD16T250L	61720	100	FIFD16T250	61727
*16-14	.250	25	FIFDDC16T250SHS	61714	50	FIFDDC16T250SHL	61721	100	FIFDDC16T250SH	61728
12-10	.250	25	FIFD12T250S	61715	50	FIFD12T250L	61722	100	FIFD12T250	61729
*12-10	.250	25	FIFDDC12T250SHS	61716	50	FIFDDC12T250SHL	61723	100	FIFDDC12T250SH	61730

*With insulation support sleeve

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Female Quick Disconnect

High Temperature
600V / 900°F (482°C)

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
16-14	.187	25	FD16T187HTS	61691	50	FD16T187HTL	61694	100	FD16T187HT	61697
16-14	.250	25	FD16T250HTS	61692	50	FD16T250HTL	61695	100	FD16T250HT	61698
12-10	.250	25	FD12T250HTS	61693	50	FD12T250HTL	61696	100	FD12T250HT	61699

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flag Female Quick Disconnect

Fully Insulated – Nylon Insulation
300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	FIFFD22T250S	61750	50	FIFFD22T250L	61753	100	FIFFD22T250	61756
16-14	.250	25	FIFFD16T250S	61751	50	FIFFD16T250L	61754	100	FIFFD16T250	61757
12-10	.250	25	FIFFD12T250S	61752	50	FIFFD12T250L	61755	100	FIFFD12T250	61758

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flag Female Quick Disconnect


Non-Insulated
300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	FFD22T250NIS	61770	50	FFD22T250NIL	61774	100	FFD22T250NI	61778
16-14	.250	25	FFD16T250NIS	61771	50	FFD16T250NIL	61775	100	FFD16T250NI	61779
*16-14	.250	25	FFDOB16T250NIS	61772	50	FFDOB16T250NIL	61776	100	FFDOB16T250NI	61780
12-10	.250	25	FFD12T250NIS	61773	50	FFD12T250NIL	61777	100	FFD12T250NI	61781

*With open barrel for insulation support

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Flag Female Quick Disconnect


High Temperature

600V / 900°F (482°C)

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
16-14	.250	25	FFD16T250HTS	61790	50	FFD16T250HTL	61792	100	FFD16T250HT	61794
12-10	.250	25	FFD12T250HTS	61791	50	FFD12T250HTL	61793	100	FFD12T250HT	61795

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Piggyback Connector


Vinyl Insulation

300V / 75°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	PBC22T250S	61400	50	PBC22T250L	61403	100	PBC22T250	61406
16-14	.250	25	PBC16T250S	61401	50	PBC16T250L	61404	100	PBC16T250	61407
12-10	.250	25	PBC12T250S	61402	50	PBC12T250L	61405	100	PBC12T250	61408

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Piggyback Connector


Non-Insulated

300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
16-14	.250	25	PBC16T250NIS	61420	50	PBC16T250NIL	61421	100	PBC16T250NI	61422

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Piggyback Connector

Nylon Insulated
300V / 105°C

Wire Range	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	.250	25	PBC22T250NS	61440	50	PBC22T250NL	61442	100	PBC22T250N	61444
16-14	.250	25	PBC16T250NS	61441	50	PBC16T250NL	61443	100	PBC16T250N	61445

Other Sizes And Package Quantities Available

Please Call For Price And Availability



A3WT250NI

Adapters

Non-Insulated
300V / 105°C



A2M1FT250NI




CAT250NI

Type	Tab Width	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
2 Male / 1 Female	0.250	25	A2M1FT250NIS	61380	50	A2M1FT250NIL	61383	100	A2M1FT250NI	61386
3-Way Adapter	0.250	25	A3WT250NIS	61381	50	A3WT250NIL	61384	100	A3WT250NI	61387
Chair Adapter	0.250	25	CAT250NIS	61382	50	CAT250NIL	61385	100	CAT250NI	61388

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Closed End Connector


Nylon Insulation

600V / 105 °C

Wire Range	Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-18	25	CEC22S	61460	50	CEC22L	61464	100	CEC22	61468
16-14	25	CEC16S	61461	50	CEC16L	61465	100	CEC16	61469
12-10	25	CEC12S	61462	50	CEC12L	61466	100	CEC12	61470
8	25	CEC8S	61463	50	CEC8L	61467	100	CEC8	61471

Other Package Quantities Available

Please Call For Price And Availability



Wire Connectors


Standard Screw-On

105 °C

Wire Range	Color	Min	Max	Voltage	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-14	Grey	2#22	1#16 w/1#18	300V	25	WCGS	61810	50	WCGL	61815	100	WCG	61820
22-14	Blue	2#22	3#16	300V	25	WCBS	61811	50	WCBL	61816	100	WCB	61821
22-14	Orange	1#18 w/1#20	4#16 w/1#20	600V	25	WCOS	61812	50	WCOL	61817	100	WCO	61822
22-10	Yellow	3#20	2#12 w/2#14	600V	25	WCYS	61813	50	WCYL	61818	100	WCY	61823
22-10	Red	3#18	2#20 w/2#12	600V	25	WCRS	61814	50	WCRL	61819	100	WCR	61824

Other Package Quantities Available

Please Call For Price And Availability




Wire Connectors

Winged
105 °C

Wire Range	Color	Min	Max	Voltage	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-8	Tan	3#22	4#12	600V	25	WWCTS	61850	50	WWCTL	61856	100	WWCT	61862
18-10	Yellow	2#18	3#12	600V	25	WWCYS	61851	50	WWCYL	61857	100	WWCY	61863
18-8	Red	3#16	5#12	600V	25	WWCRS	61852	50	WWCRL	61858	100	WWCR	61864
18-8	Grey	3#14 w/1#18	3#10	600V	25	WWCGS	61853	50	WWCGL	61859	100	WWCG	61865
14-6	Blue	2#10 w/1#12	1#8w/3#10	600V	25	WWCBS	61854	50	WWCBL	61860	100	WWCB	61866
14-10	Green Grounding	2#14	5#12	1000V	25	WWCGGS	61855	50	WWCGGL	61861	100	WWCGG	61867

Other Package Quantities Available

Please Call For Price And Availability




Wire Connectors

Ceramic
600V / 1000°F

Wire Range	Min	Max	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619	Package Quantity	Part Number	UPC Number 674619
22-14	1#14 w/1 #16	2#14	25	CWC2214S	61890	50	CWC2214L	61893	100	CWC2214	61896
22-10	3 #14	2 #10	25	CWC2210S	61891	50	CWC2210L	61894	100	CWC2210	61897
18-8	3 #14 w/3 #16	2 #8	25	CWC188S	61892	50	CWC188L	61895	100	CWC188	61898

Other Package Quantities Available

Please Call For Price And Availability



Heat Shrink Tubing


Thin Wall Polyolefin / 2:1 Shrink Ratio

Continuous Operating Temperature: -55°C to 135°C / Shrink Temperature: 90°C

Wire Range	Size	Recovered	Length	Package Quantity	Part Number	UPC Number 674619
Black & White	1/8	1/16	6"	12 (6 Black + 6 White)	HST18X6BW	61910
Black & White	1/4	1/8	6"	12 (6 Black + 6 White)	HST14X6BW	61911
Black	3/8	3/16	6"	10	HST38X6B	61912
Black & White	1/2	1/4	6"	10 (5 Black + 5 White)	HST12X6BW	61913
Black	3/4	3/8	6"	10	HST34X6B	61914
Black	1	1/2	6"	10	HST1X6B	61915

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Cable Ties

Nylon

Color	Length	Width	Tensile Strength	Package Quantity	Part Number	UPC Number 674619
Natural	4	0,1	18	100	CT4	14260
Natural	5-5/8	0.13	30	100	CT558	14261
Natural	7-1/2	0.187	50	100	CT712	14262
Natural	11-1/8	0.187	50	100	CT1118	14263
Natural	14-1/8	0.187	50	100	CT1418	14264
Black	7-1/2	0.187	50	100	CT712B	14265
Black	11-1/8	0.187	50	100	CT1118B	14266
Black	14-1/8	0.187	50	100	CT1418B	14267

Other Sizes And Package Quantities Available

Please Call For Price And Availability



Connect All Kit In Compartment Box

Non-Insulated Terminals

192 Pieces

Part Number	UPC Number 674619	Quantity Per Kit	Item
PTK9101	09101	16	Non-Insulated Ring Terminal for 22-18 AWG Wire and #6 Stud
		16	Non-Insulated Ring Terminal for 22-18 AWG Wire and #8 Stud
		16	Non-Insulated Ring Terminal for 22-18 AWG Wire and #10 Stud
		16	Non-Insulated Ring Terminal for 16-14 AWG Wire and #6 Stud
		16	Non-Insulated Ring Terminal for 16-14 AWG Wire and #8 Stud
		16	Non- Insulated Ring Terminal for 16-14 AWG Wire and #10 Stud
		16	Non-Insulated Spade Terminal for 16-14 AWG Wire and #6 Stud
		16	Non-Insulated Spade Terminal for 16-14 AWG Wire and #10 Stud
		16	Non-Insulated Butt Connector for 22-18 AWG Wire
		16	Non-Insulated Butt Connector for 16-14 AWG Wire
		16	Non-Insulated Male Quick Disconnect with .250 Tab for 16-14 AWG Wire
		16	Non-Insulated Female Quick Disconnect for 16-14 AWG Wire, .250 Tab



Service Kit In Compartment Box

Insulated Terminals

96 Pieces

Part Number	UPC Number 674619	Quantity Per Kit	Item
PTK9100	09100	8	Insulated Ring Terminal for 22-18 AWG Wire and #6 Stud (High Density)
		8	Insulated Ring Terminal for 22-18 AWG Wire and #6 Stud
		8	Insulated Ring Terminal for 22-18 AWG Wire and #8 Stud
		8	Insulated Ring Terminal for 22-18 AWG Wire and #10 Stud
		8	Insulated Ring Terminal for 16-14 AWG Wire and #6 Stud (High Density)
		8	Insulated Ring Terminal for 16-14 AWG Wire and #6 Stud
		8	Insulated Ring Terminal for 16-14 AWG Wire and #8 Stud
		8	Insulated Ring Terminal for 16-14 AWG Wire and #10 Stud
		8	Insulated Spade Terminal for 16-14 AWG Wire and #6 Stud
		8	Insulated Spade Terminal for 16-14 AWG Wire and #10 Stud
		8	Insulated Spade Terminal for 22-18 AWG Wire and #6 Stud
		8	Insulated Flanged Spade Terminal for 22-18 AWG Wire and #6 Stud
		1	Terminal Crimping Tool



Connect All Kit In Compartment Box Insulated Terminals

90 Pieces

Part Number	UPC Number 674619	Quantity Per Kit	Item
PTK9102	09102	8	Insulated Ring Terminal for 22-18 AWG Wire and #10 Stud
		8	Insulated Ring Terminal for 16-14 AWG Wire and #10 Stud
		8	Insulated Ring Terminal for 12-10 AWG Wire and #10 Stud
		8	Insulated Ring Terminal for 12-10 AWG Wire and 1/4 Stud
		8	Insulated Spade Terminal for 22-18 AWG Wire and #10 Stud
		8	Insulated Spade Terminal for 16-14 AWG Wire and #10 Stud
		8	Insulated Flanged Spade Terminal for 22-18 AWG Wire and #6 Stud
		6	Insulated Butt Connector for 22-18 AWG Wire
		6	Insulated Butt Connector for 16-14 AWG Wire
		6	Insulated Butt Connector for 12-10 AWG Wire
		8	Insulated Male Quick-Disconnect with .250 Tab for 16-14 AWG Wire
		8	Insulated Female Quick-Disconnect for 16-14 AWG Wire, .250 Tab



12-10 Wire Range Kit

Part Number	UPC Number 674619	Quantity Per Kit	Item
PTK6200D	62002	10	3-Way Adapter, .250 Tab, Non-Insulated
		10	Flag Female Quick-Disconnect for 12-10 AWG Wire, .250 Tab, Non-Insulated
		10	Insulated Butt Connector for 12-10 AWG Wire
		10	Insulated Female Quick-Disconnect for 12-10 AWG Wire, .250 Tab
		10	Insulated Ring Terminal for 12-10 AWG Wire and #10 Stud
		15	Insulated Spade Terminal for 12-10 AWG Wire and #10 Stud



16-14 Wire Range Kit

Part Number	UPC Number 674619	Quantity Per Kit	Item
PTK6200A	62001	15	3-Way Adapter, .250 Tab, Non-Insulated
		20	Flag Female Quick-Disconnect w/ Open Barrel for 16-14 AWG Wire, .250 Tab, Non-Insulated
		10	Insulated Ring Terminal for 16-14 AWG Wire and #10 Stud
		10	Insulated Butt Connector for 16-14 AWG Wire
		15	Insulated Female Quick-Disconnect for 16-14 AWG Wire, .250 Tab
		10	Insulated Spade Terminal for 16-14 AWG Wire and #8 Stud



Crimp Tools

Part Number	Description	UPC Number 674619
TCT1	Ratchet controlled crimping tool for use with non-insulated terminals, 22-8 gauge wire. Required for UL applications.	61940
TCT2	Ratchet controlled crimping tool for use with insulated terminals, 22-14 gauge wire. Required for UL applications.	61941
TCT3	Ratchet controlled crimping tool for use with insulated terminals, 12-10 gauge wire. Required for UL applications.	61942
TCT5	Ratchet controlled crimping tool for use with female quick disconnects, 22-10 gauge wire.	61943
TCT8	Ratchet controlled crimping tool for use with terminals, 22-10 gauge wire.	61944
TCT9	Ratchet controlled crimping tool for use with closed end connectors, 22-10 gauge wire.	61945
TCT597	Crimping tool for use with terminals, 22-10 gauge wire.	61946
TCT603	Economy crimping tool for use with terminals, 22-10 gauge wire.	61947

Other Sizes And Package Quantities Available

Please Call For Price And Availability

Insulated Staples



Cable Staples



One Hole Straps



Detailed information about these items are available in
M. Green Company's Hardware Catalog.

Two Hole Straps



Reducing Washers



Knockout Seals



Detailed information about these items are available in
M. Green Company's Hardware Catalog.


Grounding Screws



Grounding Clip



Grounding Pigtails



► Detailed information about these items are available in M. Green Company's Hardware Catalog.

Switch Plate Screws



Detailed information about these items are available in
M. Green Company's Hardware Catalog.

Index in Alphabetical Order

A

Adapters	
2 Male / 1 Female Adapter	31
3-Way Adapter	31
Chair Adapter	31
Assortment Kits	
65 piece Assortment for 12-10 Wire Range	36
80 piece Assortment for 16-14 Wire Range	37
90 piece Insulated Assortment	36
96 piece Insulated Assortment w/Tool	35
192 piece Non-Insulated Assortment	35

B

Block Spade Terminal	
Non-Insulated	19
Nylon Insulated	19
Vinyl Insulated	18
Bullet Plug	
Non-Insulated	20
Nylon Insulated	21
Vinyl Insulated	20
Bullet Receptacle	
2-Way (Nylon Insulated)	22
Non-Insulated	21
Nylon Insulated	22
Vinyl Insulated	21
Butt Connector	
High Temperature	24
Non-Insulated	23
Nylon Insulated	24
Polyolefin Heat Shrink	23
Vinyl Insulated	23

C

Cable Ties	
Nylon	34
Closed End Connector	
Fully Insulated – Nylon Insulation	32
Crimp Tools	
Crimp Tool for Terminals	38
Economy Crimp Tool for Terminals	38
Ratchet Cont. Tool for Closed End Connectors	38
Ratchet Cont. Tool for Female Quick Disconnects	38
Ratchet Cont. Tool for Insulated Terminals	38
Ratchet Cont. Tool for Non-Insulated Terminals	38
Ratchet Cont. Tool for Terminals	38

F

Female Quick Disconnect	
Fully Insulated – Nylon Insulation	28
High Temperature	29
Non-Insulated	27
Nylon Insulated	28
Vinyl Insulated	27
Flag Female Quick Disconnect	
Fully Insulated – Nylon Insulation	29
High Temperature	30
Non-Insulated	29
Flanged Spade Terminal	
Non-Insulated	17
Nylon Insulated with Insulation Support Sleeve	18
Vinyl Insulated	17

H

Heat Shrink Tubing	
Thin Wall Polyolefin	34
Hook Terminal	
Vinyl Insulated	20

M

Male Quick Disconnect	
Fully Insulated – Nylon Insulation	26
High Temperature	26
Non-Insulated	25
Vinyl Insulated	25

P

Piggyback Connector	
Non-Insulated	30
Nylon Insulated	31
Vinyl Insulated	30
Pin Terminal	
Vinyl Insulated	22

R

Ring Terminal	
High Temperature	13
Non-Insulated	11
Nylon Insulated	12
Vinyl Insulated	10

S

Spade Terminal	
High Temperature	15
Non-Insulated	14
Nylon Insulated	14
Vinyl Insulated	13
Spring Spade Terminal	
Non-Insulated	16
Nylon Insulated	16
Vinyl Insulated	15

T

Tap Connector	
Vinyl Insulated	24

W

Wire Connector	
Ceramic	33
Standard	32
Winged	33